

Message

From: Kimble, Jeffrey [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D2DD4D4515E14394A48418016A9CD908-JKIMBL03]
Sent: 12/24/2017 9:48:41 PM
To: Donnelly, Peggy [donnelly.peggy@epa.gov]
Subject: Wolverine RE: Houses with High Samples

Snowing here, getting ready to send the draft AM around. It's rough, but it is a start. Needs polishing, but maybe I don't have to work tomorrow. I'll have some more tonight to do.

Remind me we have to talk to Rob Snyder and get his schedule for drop off of samples at CRL. I may have you drive some of them back Thursday evening or early Friday morning if you can,

Have a blessed day tomorrow and I'll see you Tuesday ☺

From: Donnelly, Peggy
Sent: Sunday, December 24, 2017 12:26 PM
To: Kimble, Jeffrey <kimble.jeffrey@epa.gov>
Subject: Re: Houses with High Samples

Thanks for sharing. Hope the memo you're working on went / is going okay and it doesn't take you away from too much family time.

Merry Christmas! Snowing here in IL, so might be coming your way...

Peg Donnelly
 U.S.EPA, R5, Water Division
 77 W Jackson, Chicago IL
 312.886.6109 office

Ex. 6 - Personal Privacy

Sent from my iPhone

On Dec 23, 2017, at 12:47 PM, Kimble, Jeffrey <kimble.jeffrey@epa.gov> wrote:

From: Mervenne, Chelsea
Sent: Saturday, December 23, 2017 12:57 PM
To: Kimble, Jeffrey <kimble.jeffrey@epa.gov>
Cc: Russell, Diane <russell.diane@epa.gov>
Subject: RE: Houses with High Samples

Hi Jeff,

I work with Diane Russell doing community involvement and I wanted to reach out to you about the Wolverine site. As it relates to the water sampling, I called to set up times for water testing on Wed. Dec. 27. I've attached a document with the names, addresses, and requested time slots. Diane mentioned you were interested in having community involvement support for the sampling – if this is still the case, I'm happy to help. Just let me know what the plan is, and I'll be there.

Just a heads up, one of the residents, Linda Reasen, told me she didn't receive her results from when Wolverine tested her water. Several of the people I spoke with expressed concern over the results letter that came back non detect but still advised the resident to refrain from using the water.

I'll tentatively plan on seeing you Wednesday.

Happy Holidays!

Chelsea Mervenne

Community Involvement Fellow
U.S. EPA Region 5 Superfund Division
(810) 434-5122

Community Information Office
1300 Bluff St., Suite 140
Flint, MI 48504

From: Russell, Diane
Sent: Friday, December 22, 2017 1:37 PM
To: Mervenne, Chelsea <mervenne.chelsea@epa.gov>
Subject: Fwd: Houses with High Samples

Diane Russell
U.S. EPA Region 5 Superfund
Community Involvement Coordinator
989-395-3493

Begin forwarded message:

From: "Kimble, Jeffrey" <kimble.jeffrey@epa.gov>
Date: December 22, 2017 at 8:43:24 AM EST
To: "Russell, Diane" <russell.diane@epa.gov>
Subject: FW: Houses with High Samples

Any of these on your list?

From: Wilson, Jennifer
Sent: Friday, December 22, 2017 2:56 AM
To: Kimble, Jeffrey <kimble.jeffrey@epa.gov>
Subject: RE: Houses with High Samples

Hi Jeff,

Please use the houses at the bottom of the attached spreadsheet highlighted in yellow. I don't know how many houses you need, but the houses are listed in order from maximum concentration to smallest concentration. These are the homes I found over 1000 ppt for PFOA or PFOS.

Have a good night,
Jenny

From: Kimble, Jeffrey
Sent: Thursday, December 21, 2017 8:56 PM
To: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Subject: Re: Houses with High Samples

Don't stress, I appreciate what your doing!

Jeff Kimble, US EPA
Cell # Ex. 6 - Personal Privacy

On Dec 21, 2017, at 7:09 PM, Wilson, Jennifer <wilson.jenniferA@epa.gov> wrote:

Hi Jeff,

I will e-mail you sites for sampling later tonight. The conceptual model didn't have addresses. I started putting them in a spreadsheet. It may be very late because I have plans tonight and I will do it when I get home.

Have a good night,
Jenny

Jennifer Wilson, P.E.
Ground Water and Drinking Water Branch
U.S. EPA Region 5
WG-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751

<Additional Sampling Addresses.xlsx>